

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
70	50		3,494
75	50		4,207
75	55		3,799
80	50		4,968
80	55		4,559
80	60		4,104
85	50		5,775
85	55		5,367
85	60		4,911
85	65		4,409
90	55		6,221
90	60		5,766
90	65		5,263
90	70		4,714
95	55		7,122
95	60		6,667
95	65		6,165
95	70		5,616
95	75		5,019
100	60		7,615
100	65		7,113
100	70		6,564
100	75		5,968
100	80		5,325
105	60		8,611
105	65		8,108
105	70		7,559
105	75		6,963
105	80		6,320
105	85		5,630
110	60		9,653
110	65		9,150
110	70		8,601
110	75		8,005
110	80		7,362
110	85		6,672
110	90		5,935
115	70		9,690
115	75		9,094
115	80		8,451
115	85		7,761
115	90		7,024
115	95		6,240
120	70		10,826
120	75		10,230
120	80		9,587
120	85		8,897
120	90		8,160
120	95		7,376
120	100		6,545
125	70		12,009
125	75		11,413
125	80		10,770
125	85		10,080
125	90		9,343
125	95		8,559
125	100		7,728
125	105		6,850

TOLERANSLAR				
Dış Çap mm	Tolerans mm		İç Çap mm	Tolerans mm
70 - 125	+0 , +5		45 - 250	-0 , -12
130 - 200	+0 , +7		300 ve üstü	-0 , -20
205 - 410	+0 , +15			
450 ve üstü	+0 , +25			

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
130	70		13,617
130	75		13,021
130	80		12,378
130	85		11,688
130	90		10,951
130	95		10,167
130	100		9,336
130	105		8,458
130	110		7,533
140	70		16,246
140	75		15,650
140	80		15,007
140	85		14,317
140	90		13,580
140	95		12,796
140	100		11,965
140	105		11,087
140	110		10,162
140	115		9,191
140	120		8,172
150	40	11,243	
150	50	10,892	
150	60	10,444	
150	70		19,063
150	75		18,466
150	80		17,823
150	85		17,133
150	90		16,396
150	95		15,612
150	100		14,781
150	105		13,904
150	110		12,979
150	115		12,007
150	120		10,988
150	125		9,923
150	130		8,810
160	40	12,803	
160	50	12,452	
160	60	12,004	
160	70	11,458	
160	75		21,471
160	80		20,828
160	85		20,138
160	90		19,401
160	95		18,617
160	100		17,786
160	105		16,908
160	110		15,983
160	115		15,011
160	120		13,993
160	125		12,927
160	130		11,815
160	135		10,655
160	140		9,449
170	40	14,461	
170	50	14,110	
170	60	13,661	
170	70	13,115	
170	80	12,472	24,020

TOLERANSLAR				
Dış Çap mm	Tolerans mm		İç Çap mm	Tolerans mm
70 - 125	+0 , +5			45 - 250
130 - 200	+0 , +7		300 ve üstü	-0 , -20
205 - 410	+0 , +15			
450 ve üstü	+0 , +25			

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
170	85		23,330
170	90		22,593
170	95		21,809
170	100		20,978
170	105		20,100
170	110		19,175
170	115		18,204
170	120		17,185
170	125		16,119
170	130		15,007
170	135		13,847
170	140		12,641
170	145		11,387
170	150		10,087
180	40	16,216	
180	50	15,865	
180	60	15,416	
180	70	14,870	
180	80		27,400
180	85		26,710
180	90		25,973
180	95		25,189
180	100		24,358
180	105		23,480
180	110		22,555
180	115		21,583
180	120		20,565
180	125		19,499
180	130		18,387
180	135		17,227
180	140		16,021
180	145		14,767
180	150		13,467
180	155		12,120
180	160		10,726
190	40	18,068	
190	50	17,717	
190	60	17,269	
190	70	16,723	
190	80	16,079	
190	90		29,540
190	95		28,756
190	100		27,925
190	105		27,048
190	110		26,123
190	115		25,151
190	120		24,132
190	125		23,067
190	130		21,954
190	135		20,795
190	140		19,588
190	145		18,335
190	150		17,035
190	155		15,687
190	160		14,293
190	165		12,852
190	170		11,364
200	40	20,018	
200	50	19,667	

TOLERANSLAR			
Dış Çap mm	Tolerans mm		İç Çap mm
70 - 125	+0 , +5		45 - 250
130 - 200	+0 , +7		300 ve üstü
205 - 410	+0 , +15		
450 ve üstü	+0 , +25		

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
200	60	19,219	
200	70	18,673	
200	80	18,029	
200	90	17,288	
200	100	16,450	31,681
200	105		30,803
200	110	15,514	29,878
200	115		28,907
200	120		27,888
200	125		26,822
200	130		25,710
200	135		24,550
200	140		23,344
200	145		22,090
200	150		20,790
200	155		19,443
200	160		18,049
200	165		16,607
200	170		15,119
200	175		13,584
200	180		12,002
210	40	22,881	
210	50	22,520	
210	60	22,062	
210	70	21,506	
210	80	20,853	
210	90	20,102	
210	100	19,254	
210	110	18,308	
220	40	25,065	
220	50	24,704	
220	60	24,246	
220	70	23,690	
220	80	23,037	
220	90	22,286	
220	100	21,438	
220	110	20,492	
220	120	19,449	
230	40	27,346	
230	50	26,986	
230	60	26,527	
230	70	25,972	
230	80	25,319	
230	90	24,568	
230	100	23,720	
230	110	22,774	
230	120	21,731	
230	130	20,590	
240	40	29,725	
240	50	29,365	
240	60	28,906	
240	70	28,351	
240	80	27,697	
240	90	26,947	
240	100	26,098	
240	110	25,153	
240	120	24,110	
240	130	22,969	
240	140	21,731	

TOLERANSLAR				
Dış Çap mm	Tolerans mm		İç Çap mm	Tolerans mm
70 - 125	+0 , +5		45 - 250	-0 , -12
130 - 200	+0 , +7		300 ve üstü	-0 , -20
205 - 410	+0 , +15			
450 ve üstü	+0 , +25			

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
250	40	32,202	
250	50	31,841	
250	60	31,383	
250	70	30,827	
250	80	30,174	
250	90	29,423	
250	100	28,575	
250	110	27,629	
250	120	26,586	
250	130	25,445	
250	140	24,207	
250	150	22,871	
270	40	37,447	
270	50	37,086	
270	60	36,628	
270	70	36,072	
270	80	35,419	
270	90	34,668	
270	100	33,820	
270	110	32,875	
270	120	31,831	
270	130	30,691	
270	140	29,452	
270	150	28,117	
270	175	24,351	
275	40	38,819	
275	50	38,459	
275	60	38,000	
275	70	37,445	
275	80	36,791	
275	90	36,041	
275	100	35,193	
275	110	34,247	
275	120	33,204	
275	130	32,063	
275	140	30,825	
275	150	29,489	
275	175	25,723	
280	40	40,216	
280	50	39,855	
280	60	39,397	
280	70	38,841	
280	80	38,188	
280	90	37,437	
280	100	36,589	
280	110	35,643	
280	120	34,600	
280	130	33,460	
280	140	32,221	
280	150	30,886	
280	175	27,120	
300	40	46,046	
300	70	44,672	
300	80	44,018	
300	90	43,268	
300	100	42,419	
300	110	41,474	
300	120	40,431	
300	130	39,290	

TOLERANSLAR				
Dış Çap mm	Tolerans mm		İç Çap mm	Tolerans mm
70 - 125	+0 , +5			45 - 250
130 - 200	+0 , +7		300 ve üstü	-0 , -20
205 - 410	+0 , +15			
450 ve üstü	+0 , +25			

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
300	140	38,052	
300	150	36,716	
300	175	32,950	
300	200	28,575	
310	40	49,108	
310	50	48,747	
310	60	48,289	
310	70	47,733	
310	80	47,080	
310	90	46,329	
310	100	45,481	
310	110	44,535	
310	120	43,492	
310	130	42,351	
310	140	41,113	
310	150	39,777	
310	175	36,011	
310	200	31,636	
325	40	54,724	
325	50	54,341	
325	60	53,862	
325	70	52,508	
325	80	51,855	
325	90	51,104	
325	100	50,256	
325	110	49,310	
325	120	48,297	
325	130	47,126	
325	140	45,888	
325	150	44,552	
325	175	40,786	
325	200	36,411	
325	225	31,427	
340	40	58,877	
340	50	58,516	
340	60	58,058	
340	70	57,502	
340	80	56,849	
340	90	56,098	
340	100	55,250	
340	110	54,304	
340	120	53,261	
340	130	52,120	
340	140	50,882	
340	150	49,547	
340	175	45,781	
340	200	41,406	
340	225	36,421	
355	40	64,091	
355	50	63,730	
355	60	63,272	
355	70	62,716	
355	80	62,063	
355	90	61,312	
355	100	60,464	
355	110	59,518	
355	120	58,475	
355	130	57,334	
355	140	56,096	

TOLERANSLAR			
Dış Çap mm	Tolerans mm		İç Çap mm
70 - 125	+0 , +5		45 - 250
130 - 200	+0 , +7		300 ve üstü
205 - 410	+0 , +15		
450 ve üstü	+0 , +25		

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
355	150	54,760	
355	175	50,994	
355	200	46,619	
355	225	41,635	
355	250	36,041	
375	40	71,383	
375	50	71,023	
375	60	70,564	
375	70	70,009	
375	80	69,355	
375	90	68,605	
375	100	67,757	
375	110	66,811	
375	120	65,768	
375	130	64,627	
375	140	63,389	
375	150	62,053	
375	175	58,287	
375	200	53,912	
375	225	48,927	
375	250	43,334	
400	40	81,048	
400	50	80,687	
400	60	80,229	
400	70	79,673	
400	80	79,020	
400	90	78,269	
400	100	77,421	
400	110	76,475	
400	120	75,432	
400	130	74,291	
400	140	73,053	
400	150	71,717	
400	175	67,952	
400	200	63,576	
400	225	58,592	
400	250	52,998	
400	300	40,549	
410	40	85,084	
410	50	84,723	
410	60	84,265	
410	70	83,709	
410	80	83,056	
410	90	82,306	
410	100	81,457	
410	110	80,512	
410	120	79,468	
410	130	78,328	
410	140	77,089	
410	150	75,754	
410	175	71,988	
410	200	67,613	
410	225	62,628	
410	250	57,034	
410	300	44,586	
430	70	94,227	
430	80	93,574	
430	90	92,823	
430	100	91,975	

TOLERANSLAR			
Dış Çap mm	Tolerans mm		İç Çap mm
70 - 125	+0 , +5		45 - 250
130 - 200	+0 , +7		300 ve üstü
205 - 410	+0 , +15		
450 ve üstü	+0 , +25		

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.

KESTAMİD® İÇİ BOŞ TAKOZLAR

DIŞ ÇAP mm	İÇ ÇAP mm	BOYLARA GÖRE AĞIRLIK	
		Gr/adet	
		500 mm	1000 mm
430	110	91,029	
430	120	89,986	
430	130	88,845	
430	140	87,607	
430	150	86,271	
430	175	82,505	
430	200	78,130	
430	225	73,146	
430	250	67,552	
430	300	55,103	
450	40	104,454	
450	70	103,080	
450	80	102,426	
450	90	101,676	
450	100	100,827	
450	110	99,882	
450	120	98,839	
450	130	97,698	
450	140	96,460	
450	150	95,124	
450	175	91,358	
450	200	86,983	
450	225	81,998	
450	250	76,404	
450	300	63,956	
500	40	128,292	
500	70	126,918	
500	80	126,264	
500	90	125,514	
500	100	124,666	
500	110	123,720	
500	120	122,677	
500	130	121,536	
500	140	120,298	
500	150	118,962	
500	175	115,196	
500	200	110,821	
500	225	105,836	
500	250	100,243	
500	300	87,794	
625	40	198,551	
625	70	197,176	
625	80	196,523	
625	90	195,773	
625	100	194,924	
625	110	193,979	
625	120	192,935	
625	130	191,795	
625	140	190,556	
625	150	189,221	
625	175	185,455	
625	200	181,080	
625	225	176,095	
625	250	170,501	
625	300	158,053	

TOLERANSLAR				
Dış Çap mm	Tolerans mm		İç Çap mm	Tolerans mm
70 - 125	+0 , +5			45 - 250
130 - 200	+0 , +7		300 ve üstü	-0 , -20
205 - 410	+0 , +15			
450 ve üstü	+0 , +25			

BOY TOLERANSLARI	
Boy mm	Tolerans mm
500	+ 0 , + 80
1,000	+ 0 , + 50

İstek üzerine listelerde yer almayan ölçülerde imalat yapılır.

KESTAMİD® Polikim'in tescilli markasıdır.